STATE OF CONNECTICUT

One Hundred and Thirty-Eighth

REGISTRATION REPORT

1985



STATE OF CONNECTICUT

ONE HUNDRED AND THIRTY-EIGHTH REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDED DECEMBER 31, 1985

Issued by
THE STATE DEPARTMENT OF HEALTH SERVICES
HARTFORD

Published by the State

Price $10.00

CONTENTS

Vital Statistics for 1985 Page

Summary for Year 5
Population Estimate, 1985 5
Births 6
Fetal Deaths 6
Deaths 6
Leading Causes of Death 6
Infant Mortality 7
Marriages 7
Marriage Dissolutions 7

TABLES

Table No.

1 Population Estimate, 1985, by age and sex 8
2 Estimate of population and vital statistics by towns of residence 9
3 Live births, Connecticut residents by age of mother 17
4 Live births to residents of Connecticut towns by race, low birthweight and maternal age 18
5 Fetal deaths occurring in Connecticut 32
6 Causes of fetal deaths occurring in Connecticut 33
7 Causes of death, Connecticut residents 34
8 Causes of death among nonwhites 38
9 Deaths under one year of age (infants) 42
10 Selected causes of infant deaths 47
11 Leading causes of death by age groups 51
12 Number of present marriage for brides and grooms 53
13 Previous marital status of brides and grooms 53
14 Dissolution of marriages 54
15 Children under 18 involved in dissolution of marriages 54
16 Duration of marriages dissolved in 1985 54

Glossary 55

Rates, calculation of 56

DEPARTMENT OF HEALTH SERVICES

HARTFORD, August 1, 1987

To His Excellency, William A. O'Neill, Governor of the State of Connecticut:

Sir:

In compliance with the laws of the State, I have the honor to present to you the one hundred and thirty-eighth report, relating to the birth, marriages, divorces and deaths that were registered in Connecticut in the year 1985.

Very respectfully,

FREDERICK G. ADAMS, D.D.S., M.P.H.

Commissioner of Health Services

Frederick G. Adams, D.D.S., M.P.H.
Commissioner of Health Services

Sir:

I have the honor to submit herewith the annual registration report for the year 1985, prepared by the Statistical Analysis Unit of the Division of Health Policy, Planning and Statistics. At this time I wish to express my appreciation of the work performed by the unit staff in preparing this report.

RICHARD J. GRUBER
Director
Division of Health Planning and Statistics

MARCIE CAVACAS
Research Analyst
Division of Health Planning and Statistics

JOAN SHAIA
CLERK-TYPIST
Division of Health Planning and Statistics

KATHERINE CHURCH
Registrar

REGISTRATION REPORT OF VITAL STATISTICS IN CONNECTICUT

The Annual Registration Report of Vital Statistics, 1985, is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examing data sets:

A. Completeness of Registration
The Connecticut Department of Health Services reciprocates with other states and the provinces of Canada in exchanging copies of birth and death records for non-residents. Registration of births in Connecticut is 99.9% complete and there is virtually no underreporting of deaths. Because there is no interstate transfer of marriage, divorce and fetal death records, it is not possible to determine the completeness of registration of these events to Connecticut residents.

B. Comparability of Cause-of Death Data
The system for classifying causes of death, the International Classification of Diseases (ICD), is revised every ten years to reflect changes in medical practices and new medical knowledge. Each revision results in a degree of discontinuity in cause-of-death statistics. A ratio of comparability must be used to adjust for changes in classification from one ICD revision to another. Causes of death in 1985 were coded using the ninth revision of the ICD which became effective in 1979.

C. Comparison of Rates
Caution should be used in drawing conclusions based on rates which are calculated from small numbers of events or for small geographic areas. Because these rates may vary considerably, use of them for comparison purposes or for estimating future events will be limited.

D. For Further Information
Further information can be obtained by contacting the Statistical Analysis Unit of the Division of Policy, Planning and Statistics, 150 Washington Street, Hartford,Connecticut 06106, Telephone numbers 566-5451 or 566-8515.

POPULATION

The estimated population of Connecticut as of July 1, 1985 was 3,198,230. This reflects a natural increase (difference between births and deaths) of 15,917, and a net migration into Connecticut of 14,143. The population estimated for 1985 is an increase of 0.90% over the previous year. The population of each town in Connecticut is estimated yearly using the preceding U.S. decennial census as a base line. Changes are calculated according to known births and deaths and migration as estimated by school enrollment and housing unit changes.

BIRTHS

In 1985 the number of resident live births was 43,968. This represents an increase of 1,784 from 1984 and an increase in the birth rate from 13.3 to 13.7 per 1,000 population. There were 1,060 births to Connecticut residents occurring out of state, 2.4% of the total births. There were 4,053 births to teenage mothers (19 years of age or less). This was 9.2% of all births, a decrease from 9.4% in 1984.

Fetal Deaths

The fetal death ratio decreased in 1985 with a total count of 302 or 6.9 deaths per 1,000 live births occurring in Connecticut compared to 322 deaths and a ratio of 7.7 in 1984.

DEATHS

The number of registered deaths among Connecticut residents for 1985 was 28,051, for a crude rate of 8.8 per 1,000 population. Of the total number of resident deaths, 14,192 were males and 13,859 were females.

Of the total resident deaths, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 10,062 in 1985, or 35.9% of the total number of resident deaths. The median age at death was 74.9. Death for females occurred at an older age than males, a median of 78.7 and 71.4, respectively.

Leading Causes of Death

In 1985 as in 1984, the five leading causes of death, in the order of their proportional share of the total number of deaths, were diseases of the heart, malignant neoplasms, cerebrovascular disease, influenza and pneumonia and accidents. The leading cause of death of the age group 1 to 44 was accidents. Between 45 and 64 years of age, the leading cause was malignant neoplasms and for 65 years and over it was diseases of the heart.

Diseases of the Heart

Heart diseases accounted for 10,723 resident deaths in 1985, for a total proportional share of 38.2%. This is the same as the proportional share in 1983 and 1984. The median age at death from heart disease was 77.7. Acute myocardial infarction claimed a 29.09% share of total heart disease mortality with a 39.1% share attributed to other ischemic heart disease. Median age at death from myocardial infarction was 75.0, for other ischemic heart disease, median age was 80.6.

Malignant Neoplasms

There were 6,780 deaths attributed to malignant neoplasms in 1985, a proportional share of 24.2% of all resident mortality. The median age at death due to cancer was 70.6. Malignant neoplasms of the digestive organs accounted for 27.0% of all deaths in this category. This site is followed by malignant neoplasms of the respiratory system (25.4%), of the genitourinary system (14.9%), of the breast (9.9%) and of the lymphatic and hematopoietic tissue (8.2%).

Cerebrovascular Disease

Cerebrovascular disease was responsible for 1,844 resident deaths in Connecticut. This cause of death had a proportional share of 6.6% of total resident deaths, a decrease from 6.8% in 1984. The median age at death from cerebrovascular disease was 81.4.

Accidents

A total of 922 accidents, of all types, accounted for 3.3% of all resident deaths in 1985, a very slight decrease from 3.4% in 1984. Of this total 49.1% was attributed to resident motor vehicle accidents, a decrease from 49.9% in 1984. Almost thirty-nine percent (38.6%) of all motor vehicle deaths occurred to those 24 years of age and less. The leading cause of non-motor vehicle accidents was falls, which had a 15.0% share of the total accidents.

Influenza and Pneumonia

There were 1,027 deaths from these causes; amounting to 3.7% of all resident deaths, compared to 3.2% in 1984. The crude mortality rate per 100,000 population was 32.1.

Infant Deaths

There were 434 resident infant deaths in Connecticut in 1985, a rate of 9.9 per 1,000 live births, compared to the previous year's total of 435, or 10.3 deaths per 1,000 live births. From 1984, this represents a decrease in infant deaths of 0.2%. Connecticut was under the national rate of 10.6 infant deaths per 1,000 live births. Of all resident infant deaths, 50.9% occurred within the first day of life, 69.4% within the first week and 78.8% within the first month. Neonatal deaths showed a 8.6% increase from 315 in 1984 to 342 in the current year.

MARRIAGES

Marriages occurring in Connecticut totaled 27,324 in 1985, a 0.3% increase over the previous year. The current year's total represents a marriage rate of 17.1 persons marrying in Connecticut per 1,000 population compared to 17.2/1,000 in 1984. The median age at marriage for grooms was 28.0, and for brides, 26.0; an increase from 1984 when the median age for grooms was 28.0 and for brides 25.9.

MARRIAGE DISSOLUTIONS

There were 11,299 marriages dissolved in Connecticut during 1985, for a marriage dissolution rate of 7.1 persons per 1,000 population. The current rate is a decrease of 4.1% over the previous year.

Duration of Marriage

The median duration of those marriages which terminated in 1985 was 9.0 years, a longer median duration than the median duration of 8.9 in 1984 and 8.2 in 1983.

Connecticut State Department of Health Services
Division of Health Statistics
Statistical Analysis Unit

TABLE 1-Population Estimate by Age and Sex: CONNECTICUT
As of July 1, 1985

AGE GROUP	MALE	FEMALE	TOTAL
TOTAL	1,543,550	1,654,680	3,198,230
*Under 1 yr.	21,326	19,730	42,184
0- 4	103,020	98,180	201,200
5- 9	99,520	95,730	195,250
10-14	106,860	101,490	208,350
15-19	129,620	125,130	254,750
20-24	142,350	139,830	282,180
25-29	132,970	136,000	268,970
30-34	130,480	128,440	258,920
35-39	116,410	124,900	241,310
40-44	98,340	104,390	202,730
45-49	78,460	84,120	162,580
50-54	76,000	81,800	157,800
55-59	81,730	88,970	170,700
60-64	78,830	89,130	167,960
65-69	64,840	78,420	143,260
70-74	46,910	63,520	110,430
75-79	29,250	47,790	77,040
80-84	16,050	33,340	49,390
85 & over	11,910	33,500	45,410
65+	168,960	256,570	425,530

*Births of the preceding calendar year.

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1985

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population Estimated as of July 1,	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
CONNECTICUT	3,198,230	43,865	302	28,259	27,324	43,968	6,067	9,353	3,600	273	59	28,051	1,658	23,854	24,965	13.7	8.8	15.3
HSA I, Southwestern	640,230	9,310	54	5,456	5,607	8,549	1,763	2,091	1,059	54	13	5,776	512	4,352	4,749	13.4	9.0	14.2
Bridgeport	143,240	4,681	34	2,369	1,139	2,741	949	1,239	636	22	9	1,623	249	1,208	1,185	19.1	11.3	16.7
Darien	18,950	1	-	74	211	262	2	17	1	1	-	146	2	63	102	13.8	7.7	8.7
Easton	6,240	2	-	6	47	58	-	3	-	1	-	44	1	34	35	9.3	7.1	11.1
Fairfield	55,490	2	-	264	457	560	12	35	3	2	1	566	3	274	361	10.1	10.2	11.4
Greenwich	60,170	1,126	7	495	603	549	15	35	4	4	-	495	13	308	373	9.1	8.2	11.3
Monroe	15,550	-	-	15	77	207	4	11	-	2	-	67	2	88	112	13.3	4.3	12.9
New Canaan	18,520	-	-	75	192	152	7	8	1	1	-	119	5	74	110	8.2	6.4	9.9
Norwalk	79,720	1,599	3	820	630	1,172	269	276	162	6	-	650	78	688	680	14.7	8.2	17.2
Stamford	106,120	1,896	10	910	1,001	1,563	426	343	223	9	1	908	119	873	889	14.7	8.6	16.6
Stratford	50,850	1	-	164	452	578	59	77	24	3	1	552	32	353	399	11.4	10.9	14.8
Trumbull	33,650	-	-	110	331	300	13	20	4	2	-	260	4	157	204	8.9	7.7	10.7
Weston	8,770	-	-	14	76	71	-	5	-	-	-	50	-	41	54	8.1	5.7	10.8
Westport	26,350	2	-	98	286	197	6	15	-	1	1	188	3	128	159	7.5	7.1	10.9
Wilton	16,610	-	-	42	105	139	1	7	1	-	-	108	1	63	86	8.4	6.5	9.0
HSA II,South Central	610,210	8,941	98	6,444	4,892	8,579	1,470	2,016	970	71	20	5,752	418	4,673	4,815	14.1	9.4	15.5
Ansonia	18,960	-	-	20	140	299	40	62	26	2	-	197	13	144	147	15.8	10.4	15.3
Bethany	4,470	3	-	2	29	69	1	3	-	-	-	20	1	32	30	15.4	4.5	13.9
Branford	24,920	1	-	985	261	338	5	30	1	5	-	221	2	236	241	13.6	8.7	19.1
Derby	12,270	647	6	457	133	168	7	41	4	1	-	125	2	104	108	13.7	10.2	17.3
East Haven	25,260	-	-	24	190	304	2	53	2	3	-	228	-	214	222	12.0	9.0	17.3
Guilford	18,810	2	-	66	144	246	3	20	-	2	-	116	2	112	132	13.1	6.2	13.0
Hamden	51,370	2	-	238	348	619	74	65	30	4	1	607	22	346	367	12.0	11.8	13.9
Madison	14,730	1	-	34	100	143	6	6	1	1	-	101	-	68	82	9.7	6.9	10.2

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1985

	Population Estimated as of July 1,	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA II, South Central Cont'd.																		
Meriden	58,810	1,008	5	655	478	878	63	192	39	8	4	588	12	526	558	14.9	10.0	18.4
Milford	51,700	555	4	349	446	673	12	81	4	4	-	429	8	431	440	13.0	8.3	16.8
New Haven	126,200	6,715	83	2,650	1,175	2,254	1,083	1,159	791	23	12	1,309	321	983	980	17.9	10.4	15.6
North Branford	12,180	-	-	10	92	127	1	11	1	2	-	62	-	61	75	10.4	5.1	11.2
North Haven	22,280	-	-	62	147	226	5	19	2	1	-	222	5	132	149	10.1	10.0	12.6
Orange	13,340	-	-	29	103	88	3	7	-	2	-	107	2	48	67	6.6	8.0	8.6
Oxford	7,070	1	-	5	66	107	3	8	-	1	-	42	-	37	37	15.1	5.9	10.5
Seymour	13,730	2	-	17	94	190	6	17	-	1	-	119	1	119	113	13.8	8.7	16.9
Shelton	33,600	2	-	134	182	437	11	37	3	3	1	297	2	235	260	13.0	8.8	14.7
Wallingford	38,640	-	-	229	337	542	8	34	-	2	-	360	3	294	281	14.0	9.3	14.9
West Haven	53,820	1	-	466	338	799	135	162	64	6	2	553	21	508	480	14.8	10.3	18.4
Woodbridge	8,050	1	-	12	89	72	2	9	2	-	-	49	1	43	46	8.9	6.1	11.1
HSA III, Eastern	515,300	5,598	24	3,835	4,835	7,353	454	1,122	193	35	5	4,128	102	4,189	4,293	14.3	8.0	16.5
Ashford	3,360	-	-	1	41	49	-	4	-	-	-	12	-	29	28	14.6	3.6	17.0
Bozrah	2,220	-	-	1	13	20	-	3	-	1	-	17	-	16	18	9.0	7.7	15.3
Brooklyn	6,160	-	-	13	45	64	1	10	1	-	-	36	-	33	37	10.4	5.8	11.4
Canterbury	3,700	1	-	4	25	59	-	11	-	-	-	19	-	27	32	15.9	5.1	15.9
Chaplin	1,870	-	-	3	21	17	-	1	-	-	-	14	-	19	18	9.1	7.5	19.8
Chester	3,170	1	-	41	47	38	-	2	-	-	-	30	-	22	27	12.0	9.5	15.5
Clinton	11,940	-	-	30	72	173	3	11	-	1	-	99	-	85	89	14.5	8.3	14.6
Colchester	8,460	-	-	39	64	161	5	11	2	-	-	65	1	75	78	19.0	7.7	18.1
Columbia	3,680	1	-	6	29	54	2	5	-	-	-	31	-	22	25	14.7	8.4	12.8

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1985

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1,	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Coventry	9,180	1	-	14	62	129	2	8	-	2	-	56	-	79	81	14.1	6.1	17.4
Cromwell	11,000	1	-	62	82	124	5	8	-	-	-	104	-	94	82	11.3	9.5	16.0
Deep River	4,090	1	-	12	41	65	1	6	-	1	-	30	1	45	46	15.9	7.3	22.2
Durham	5,370	-	-	12	34	61	-	5	-	-	-	28	-	24	18	11.4	5.2	7.8
Eastford	1,030	-	-	-	8	12	-	3	-	-	-	4	-	8	9	11.7	3.9	16.5
East Haddam	6,140	-	-	17	51	83	-	8	-	1	-	34	-	52	37	13.5	5.3	14.5
East Hampton	9,120	-	-	31	55	154	1	21	-	-	-	49	-	76	74	16.9	5.4	16.4
East Lyme	14,410	1	-	19	156	159	1	14	-	1	-	89	-	115	124	11.0	6.2	16.6
Essex	5,290	1	-	59	80	72	2	8	-	-	-	82	-	40	46	13.6	15.5	16.3
Franklin	1,710	-	-	3	8	22	-	6	-	-	-	12	1	10	12	12.9	7.0	12.9
Griswold	9,470	-	1	35	80	163	4	22	2	2	-	78	-	90	85	17.2	8.2	18.5
Groton	43,180	888	5	141	469	859	65	88	19	7	1	262	7	418	458	19.9	6.1	20.3
Haddam	6,630	1	-	4	35	85	2	7	-	1	-	36	-	39	44	12.8	5.4	12.5
Hampton	1,440	-	-	2	11	24	-	-	-	-	-	17	-	11	9	16.7	11.8	13.9
Killingly	15,000	1	-	111	213	232	6	54	3	-	-	134	3	136	140	15.5	8.9	18.4
Killingworth	4,220	-	-	6	25	45	-	4	-	-	-	26	-	25	14	10.7	6.2	9.2
Lebanon	5,150	1	-	3	39	57	1	5	1	-	-	30	-	45	39	11.1	5.8	16.3
Ledyard	14,470	1	-	11	96	220	7	21	-	-	-	67	1	108	117	15.2	4.6	15.5
Lisbon	3,440	-	-	5	13	25	-	3	-	-	-	24	-	25	28	7.3	7.0	15.4
Lyme	1,900	-	-	4	17	18	-	5	-	-	-	22	1	8	11	9.5	11.1	10.0
Mansfield	20,790	5	-	13	112	145	9	19	-	1	-	86	-	83	95	7.0	4.1	8.6
Middlefield	3,870	-	-	3	26	44	1	3	-	-	-	21	-	23	24	11.4	5.4	12.1
Middletown	39,020	978	5	733	333	536	106	107	51	4	3	361	24	315	317	13.7	9.3	16.2

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1985

	Population estimated as of July 1,	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Montville	16,870	-	-	14	118	248	9	35	3	-	-	112	1	169	161	14.7	6.6	19.6
New London	28,870	1,490	7	626	469	509	125	147	67	1	1	278	41	284	277	17.6	9.6	19.4
North Stonington	4,340	-	-	4	53	49	1	3	-	-	-	9	-	33	42	11.3	2.1	17.3
Norwich	38,500	1,124	6	698	449	674	48	131	27	5	-	420	9	395	411	17.5	10.9	20.9
Old Lyme	6,430	-	-	11	79	80	1	4	-	-	-	62	-	56	48	12.4	9.6	16.2
Old Saybrook	9,760	-	-	100	112	102	5	16	2	-	-	98		69	63	10.5	10.0	13.5
Plainfield	13,140	1	-	53	90	200	4	36	2	1	-	117	-	111	119	15.2	8.9	17.5
Pomfret	2,860	1	-	8	41	29	-	4	-	-	-	24	-	25	17	10.1	8.4	14.7
Portland	8,520	-	-	34	103	93	3	12	-	1	-	77	2	58	55	10.9	9.0	13.3
Preston	4,790	-	-	16	35	29	-	2	-	-	-	34	-	19	29	6.1	7.1	10.0
Putnam	8,830	681	-	265	64	137	-	35	-	-	-	104	-	83	83	15.5	11.8	18.8
Salem	2,670	1	-	3	14	37	2	2	-	-	-	13	1	18	20	13.9	4.9	14.2
Scotland	1,120	-	-	2	12	5	-	1	-	-	-	9	-	9	9	4.5	8.0	16.1
Sprague	3,080	-	-	4	16	58	1	7	1	-	-	32	-	28	32	18.8	10.4	19.5
Sterling	1,860	-	-	2	11	20	-	3	-	-	-	8	-	18	20	10.8	4.3	20.4
Stonington	17,360	-	-	36	259	220	5	22	-	1	-	134	1	115	108	12.7	7.7	12.8
Thompson	8,390	1	-	22	70	115	3	24	3	-	-	92	1	51	60	13.7	11.0	13.2
Union	550	-	-	2	1	4	-	-	-	-	-	6	-	2	2	7.3	10.9	7.3
Voluntown	1,720	-	-	1	17	40	1	6	-	-	-	20	-	14	16	23.2	11.6	17.4
Waterford	18,470	3	-	148	98	170	5	20	2	3	-	176	4	120	134	9.2	9.5	13.8
Westbrook	5,350	-	-	9	70	72	1	9	-	-	-	60	1	48	44	13.5	11.2	17.2
Willington	4,890	-	-	7	19	72	1	4	-	1	-	18	-	52	50	14.7	3.7	20.9
Windham	21,100	413	-	316	181	374	15	112	7	-	-	205	2	183	187	17.7	9.7	17.5
Woodstock	5,350	-	-	16	51	47	-	4	-	-	-	45	-	32	44	8.8	8.4	14.2

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1985

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1,	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV, North Central	920,300	13,717	96	8,025	7,752	12,552	1,854	2,962	1,065	82	18	7,840	472	6,914	7,237	13.6	8.5	15.4
Andover	2,330	-	-	1	5	48	-	5	-	-	-	11	-	8	14	20.6	4.7	9.4
Avon	12,510	-	-	91	138	123	-	7	-	-	-	101	1	69	78	9.8	8.1	11.8
Berlin	15,660	1	-	54	119	178	5	15	2	2	-	126	-	84	97	11.4	8.0	11.6
Bloomfield	19,810	-	-	138	124	197	92	43	34	1	1	187	24	109	116	9.9	9.4	11.4
Bolton	4,180	-	-	2	46	72	-	5	-	1	-	29	-	31	37	17.2	6.9	16.3
Bristol	59,080	792	1	401	516	803	36	112	10	2	-	445	5	521	541	13.6	7.5	18.0
Burlington	6,230	-	-	2	59	93	-	3	-	1	-	24	-	34	36	14.9	3.9	11.2
Canton	7,870	1	-	14	41	128	1	7	-	2	-	60	-	54	57	16.3	7.6	14.1
East Granby	4,280	1	-	13	21	61	2	9	1	-	-	36	1	41	36	14.3	8.4	18.0
East Hartford	52,320	3	-	238	319	608	89	120	33	6	-	517	9	435	453	11.6	9.9	17.0
East Windsor	9,100	-	-	49	114	142	7	18	3	1	-	78	1	68	71	15.6	8.6	15.3
Ellington	10,290	-	-	18	90	131	1	6	-	-	-	78	-	105	99	12.7	7.6	19.8
Enfield	43,230	1	-	139	405	563	17	65	5	8	-	331	1	330	352	13.0	7.7	15.8
Farmington	17,700	580	4	337	194	205	9	16	-	1	-	142	1	115	132	11.6	8.0	14.0
Glastonbury	26,540	-	-	85	257	261	8	27	1	-	-	186	1	205	205	9.8	7.0	15.4
Granby	8,600	-	-	11	64	131	3	11	-	-	-	36	-	48	60	15.2	4.2	12.6
Hartford	135,200	8,295	63	2,927	1,273	2,828	1,235	1,700	849	27	14	1,307	350	1,168	1,130	20.9	9.7	17.0
Hartland	1,500	-	-	-	14	23	-	-	-	-	-	5	-	12	11	15.3	3.3	15.3
Hebron	6,240	2	-	3	25	125	1	9	-	1	-	25	-	44	39	20.0	4.0	13.3
Manchester	50,660	1,349	10	569	514	652	39	92	14	4	-	453	7	422	450	12.9	8.9	17.2
Marlborough	5,040	-	-	7	24	76	2	5	2	-	-	23	-	27	31	15.0	4.6	11.5
New Britain	73,890	2,051	13	899	589	1,072	114	305	58	4	2	814	29	628	636	14.5	1.0	17.1
Newington	29,220	-	-	346	198	267	8	20	1	2	-	236	2	200	221	9.1	8.1	14.4
Plainville	17,080	1	-	79	122	201	6	18	2	1	-	139	1	133	123	11.8	8.1	15.0

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1985

	Population estimated as of July 1,	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
						Live Births				Fetal Deaths		Total Deaths		Marriages				
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV, North Central Cont'd.																		
Plymouth	10,930	-	-	25	64	155	-	20	-	1	1	98	2	72	72	14.2	9.0	13.2
Rocky Hill	15,380	-	-	180	115	179	9	7	2	1	-	108	1	158	159	11.6	7.0	20.0
Simsbury	22,750	-	-	53	164	225	7	16	1	2	-	104	-	115	126	9.9	4.6	10.6
Somers	8,890	-	-	15	95	97	3	10	2	-	-	45	-	41	62	10.9	5.1	11.6
Southington	38,080	3	-	184	372	448	9	29	3	2	-	274	1	291	309	11.8	7.2	15.8
South Windsor	19,790	1	-	51	148	262	16	14	3	1	-	97	1	122	132	13.2	4.9	12.8
Stafford	9,940	1	-	114	83	193	-	23	-	1	-	81	-	99	91	19.4	8.1	19.1
Suffield	10,180	-	-	10	99	115	2	7	-	1	-	71	2	65	74	11.3	7.0	13.7
Tolland	10,370	1	-	12	82	145	5	8	1	-	-	57	-	53	53	14.0	5.5	10.2
Vernon	28,950	633	5	293	234	464	21	78	8	2	-	215	2	287	292	16.0	7.4	20.0
West Hartford	60,790	1	-	328	487	572	43	58	11	4	-	699	8	328	365	9.4	11.5	11.4
Wethersfield	27,010	-	-	96	219	255	4	19	1	1	-	300	2	148	196	9.4	11.1	12.7
Windsor	26,420	-	-	204	237	287	54	33	16	1	-	210	19	166	181	10.9	7.9	13.1
Windsor Locks	12,260	-	-	37	82	167	6	22	2	1	-	92	1	78	100	13.6	7.5	14.5
HSA V, Northwestern	512,190	6,299	30	4,499	4,238	6,935	526	1,162	313	31	3	4,555	154	3,726	3,871	13.5	8.9	14.8
Barkhamsted	3,030	-	-	7	25	29	-	-	-	-	-	15	-	25	24	9.6	5.0	16.2
Beacon Falls	4,260	-	-	6	23	57	-	3	-	-	-	36	-	36	33	13.4	8.5	16.2
Bethel	16,850	3	-	12	117	250	5	18	1	-	-	110	2	108	121	14.8	6.5	13.6
Bethlehem	2,710	1	-	7	15	25	-	3	-	-	-	24	-	16	17	9.2	8.9	12.2
Bridgewater	1,540	1	-	2	16	12	1	2	1	-	-	16	-	9	12	7.8	10.4	13.6
Brookfield	13,920	1	-	6	102	164	2	9	-	2	-	64	-	58	85	11.8	4.6	10.3
Canaan	1,020	-	-	1	6	29	1	3	1	-	-	13	-	6	5	28.4	12.7	10.8
Cheshire	23,320	2	-	114	124	245	5	12	-	1	-	191	3	114	144	10.5	8.2	11.1

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1985

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1,	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Colebrook	1,270	-	-	5	14	14	-	2	-	-	-	10	-	4	7	11.0	7.9	8.7
Cornwall	1,350	-	-	4	18	14	1	1	-	-	-	19	-	8	9	10.4	14.1	12.6
Danbury	64,440	1,993	13	927	547	948	113	165	54	5	-	483	19	543	533	14.7	7.5	16.7
Goshen	1,990	1	-	5	30	21	-	1	-	-	-	26	-	11	15	10.6	13.1	13.1
Harwinton	5,100	-	-	5	31	61	-	4	-	-	-	31	-	28	37	12.0	6.1	12.7
Kent	2,640	-	-	8	33	24	-	1	-	-	-	24	-	21	23	9.1	9.1	16.7
Litchfield	7,990	-	-	28	114	83	1	9	-	-	-	75	-	61	60	10.4	9.4	15.1
Middlebury	6,190	-	-	21	53	47	-	2	-	-	-	59	-	32	29	7.6	9.5	10.0
Morris	1,930	-	-	3	14	20	1	1	-	-	-	13	-	4	11	10.4	6.7	7.8
Naugatuck	28,370	-	-	77	186	509	21	68	3	2	-	243	2	237	227	17.9	8.6	16.4
New Fairfield	11,890	1	-	13	85	157	3	8	1	3	-	73	-	67	87	13.2	6.1	13.0
New Hartford	5,090	-	-	10	66	78	1	1	-	-	-	37	-	56	53	15.3	7.3	21.4
New Milford	20,320	402	2	221	157	312	14	30	4	-	-	146	3	180	158	15.4	7.2	16.6
Newtown	20,030	-	-	84	154	247	2	18	-	1	-	134	1	130	134	12.3	6.7	13.2
Norfolk	2,200	1	-	6	40	40	-	3	-	-	-	18	1	20	23	18.2	8.2	19.5
North Canaan	3,300	-	-	51	22	28	1	7	-	1	-	37	-	16	20	8.5	11.2	10.9
Prospect	7,030	-	-	41	52	71	2	8	1	-	-	62	1	47	49	10.1	8.8	13.7
Redding	7,650	-	-	12	88	82	3	3	-	-	-	44	-	46	56	10.7	5.8	13.3
Ridgefield	21,300	2	-	34	270	227	1	11	-	2	-	111	2	116	142	10.7	5.2	12.1
Roxbury	1,640	-	-	6	8	20	1	1	-	-	-	10	-	3	3	12.2	6.1	3.7
Salisbury	4,020	1	-	39	40	34	2	5	2	-	-	72	-	21	23	8.5	17.9	10.9
Sharon	2,720	390	1	150	32	34	-	8	-	-	-	32	-	14	20	12.5	11.8	12.5
Sherman	2,450	-	-	2	18	25	1	2	1	-	-	16	-	13	13	10.2	6.5	10.6

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1985

	Population estimated as of July 1,	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
						Live Births				Fetal Deaths		Total Deaths		Marriages				
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Southbury	14,550	1	-	101	105	127	2	12	-	-	-	211	-	77	82	8.7	14.5	10.9
Thomaston	6,380	-	-	20	65	82	1	8	-	2		55		58	62	12.9	8.6	18.8
Torrington	32,070	762	6	477	239	437	15	61	4	1	-	378	4	279	285	13.6	11.8	17.6
Warren	1,090	-	-	2	24	8	-	1	-	-	-	10	-	7	7	7.3	9.2	12.8
Washington	3,790	-	-	7	49	46	1	5	1	1	-	36	1	29	26	12.1	9.5	14.5
Waterbury	105,170	2,734	8	1,730	827	1,729	319	601	237	7	1	1,196	113	828	856	16.4	11.4	16.0
Watertown	19,880	-	-	67	178	228	3	28	2	-	-	155	-	128	124	11.5	7.8	12.7
Winchester	10,870	1	-	129	101	147	1	25	-	3	2	118	1	104	99	13.5	10.9	18.7
Wolcott	13,560	1	-	43	97	133	1	10	-	-	-	96	1	102	96	9.8	7.1	14.6
Woodbury	7,270	1	-	16	53	91	1	2	-	-	-	56	-	64	61	12.5	7.7	17.2
Out-of-State		1,163		903		1,060				29	3	1,111		3,470	2,359			

TABLE 3: LIVE BIRTHS TO CONNECTICUT RESIDENTS, 1985

	ALL RACES											NONWHITE									
	AGE OF MOTHER																				
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL	43,968	103	3,950	10,400	15,336	10,578	3,215	365	13	1	6	6,067	57	1,240	1,872	1,596	948	304	41	6	1	2
MALE	22,625	49	2,039	5,368	7,897	5,471	1,631	160	7	-	3	3,109	26	634	970	817	499	146	12	4	-	1
FEMALE	21,343	54	1,911	5,032	7,439	5,107	1,584	206	6	1	3	2,958	31	606	902	779	449	158	29	2	1	1
PLACE OF DELIVERY																						
HOSPITAL	43,810	100	3,937	10,373	15,294	10,531	3,195	361	13	1	5	6,042	55	1,235	1,865	1,591	942	304	41	6	1	2
OTHER	158	3	13	27	42	47	20	5	-	-	1	25	2	5	7	5	6	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED	34,615	2	1,141	7,051	13,502	9,673	2,910	321	12	1	2	2,467	-	98	551	904	660	214	32	6	1	1
MOTHER UNMARRIED	9,353	101	2,809	3,349	1,834	905	305	45	1	-	4	3,600	57	1,142	1,321	692	288	90	9	-	-	1
PERIOD OF GESTATION																						
UNDER 20 WEEKS	14	-	1	8	2	2	1	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-
20-27 WEEKS	196	2	34	48	55	38	12	5	1	-	1	71	1	18	23	15	10	2	1	1	-	-
28-31 WEEKS	261	1	43	61	75	59	20	2	-	-	-	81	1	18	21	17	20	4	-	-	-	-
32-35 WEEKS	842	3	109	213	263	190	56	7	1	-	-	196	1	46	69	37	33	9	1	-	-	-
36 WEEKS	873	3	123	214	270	177	77	9	-	-	-	208	3	59	59	47	30	8	2	-	-	-
37-39 WEEKS	11,896	26	985	2,701	4,058	3,015	998	109	3	-	1	1,845	17	342	571	484	306	116	7	1	-	1
40 WEEKS OR OVER	25,293	52	2,191	6,036	9,053	6,048	1,712	191	7	-	3	3,029	27	624	924	836	460	130	24	3	-	1
NOT STATED	4,593	16	464	1,119	1,560	1,049	339	43	1	1	1	634	7	132	203	160	89	35	6	1	1	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS	310	3	51	79	76	70	22	6	2	-	1	108	1	30	35	18	18	3	1	2	-	-
1001-1500 GRAMS	248	1	34	61	84	49	17	2	-	-	-	78	-	11	30	20	13	4	-	-	-	-
1501-2000 GRAMS	516	1	91	125	144	115	37	3	-	-	-	139	1	40	40	29	20	8	1	-	-	-
2001-2500 GRAMS	1,841	5	248	470	584	366	147	18	2	-	1	440	3	97	146	97	70	21	4	1	-	1
2501-3000 GRAMS	6,687	23	860	1,797	2,157	1,414	383	50	1	1	1	1,390	17	331	437	343	187	66	8	-	1	-
3001-3500 GRAMS	16,133	43	1,564	3,974	5,641	3,739	1,055	114	2	-	1	2,334	22	479	729	642	354	93	12	2	-	1
3501-4000 GRAMS	13,229	25	879	2,907	4,850	3,404	1,048	111	4	-	1	1,241	11	207	377	338	213	83	12	-	-	-
4001-4500 GRAMS	3,931	2	184	801	1,452	1,089	357	45	1	-	-	275	2	34	68	85	63	19	3	1	-	-
4501 GRAMS AND OVER	862	-	31	164	296	250	109	10	1	-	1	53	-	7	6	23	10	7	-	-	-	-
UNKNOWN	211	-	8	22	52	82	40	7	-	-	-	9	-	4	4	1	-	-	-	-	-	-
PLURAL BIRTHS																						
SINGLE	43,038	103	3,906	10,216	14,988	10,312	3,130	363	13	1	6	5,930	57	1,226	1,828	1,550	921	298	41	6	1	2
TWINS	905	-	44	181	333	263	81	3	-	-	-	137	-	14	44	46	27	6	-	-	-	-
TRIPLETS	25	-	-	3	15	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CONNECTICUT																
ALL RACES	43,968	2,915	211	103	236	464	721	1,107	1,422	10400	15336	10578	3,215	366	14	6
NONWHITE	6,067	765	9	57	111	177	220	336	396	1,872	1,596	948	304	41	7	2
HSA 1 SOUTHWESTERN																
ALL RACES	8,549	567	144	19	54	116	160	236	276	1,709	2,699	2,315	827	131	5	2
NONWHITE	1,763	201	2	12	26	56	73	114	126	537	429	284	83	18	3	2
BRIDGEPORT																
ALL RACES	2,741	259	6	13	39	74	99	154	160	900	795	391	104	12	-	-
NONWHITE	949	123	1	7	16	33	43	73	68	328	227	116	31	7	-	-
DARIEN																
ALL RACES	262	8	11	-	-	-	-	2	3	13	60	123	53	8	-	-
NONWHITE	2	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
EASTON																
ALL RACES	58	3	1	-	-	-	-	-	-	1	19	25	11	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD																
ALL RACES	560	27	8	-	-	-	1	1	5	51	188	232	72	10	-	-
NONWHITE	12	-	-	-	-	-	1	-	-	3	4	3	1	-	-	-
GREENWICH																
ALL RACES	549	22	42	-	-	1	2	1	3	54	171	186	110	20	1	-
NONWHITE	15	1	-	-	-	-	-	-	-	4	3	3	4	1	-	-
MONROE																
ALL RACES	207	8	-	-	-	-	2	1	2	16	74	78	28	6	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-
NEW CANAAN																
ALL RACES	152	5	7	-	-	-	-	1	1	9	41	52	39	9	-	-
NONWHITE	7	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-
NORWALK																
ALL RACES	1,172	82	13	3	2	12	23	34	45	231	417	292	91	20	2	-
NONWHITE	269	24	-	3	1	9	13	23	25	66	74	36	14	3	2	-
STAMFORD																
ALL RACES	1,563	83	32	2	11	22	23	26	43	301	494	470	144	24	1	2
NONWHITE	426	41	1	1	9	14	14	14	28	118	94	101	25	5	1	2
STRATFORD																
ALL RACES	578	36	1	-	-	7	6	15	12	90	247	163	31	6	1	-
NONWHITE	59	8	-	-	-	-	2	3	4	16	20	11	2	1	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TRUMBULL																
ALL RACES	300	19	2	1	1	-	3	1	2	20	103	114	51	4	-	-
NONWHITE	13	2	-	1	-	-	-	1	-	-	3	5	2	1	-	-
WESTON																
ALL RACES	71	1	2	-	1	-	-	-	-	1	13	35	18	3	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTPORT																
ALL RACES	197	11	11	-	-	-	-	-	-	18	46	83	48	2	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-
WILTON																
ALL RACES	139	3	8	-	-	-	1	-	-	4	31	71	27	5	-	-
NONWHITE	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
HSA 2 SOUTH CENTRAL																
ALL RACES	8,579	603	14	30	59	78	132	210	282	1,944	3,096	2,063	619	63	2	1
NONWHITE	1,470	210	3	22	39	40	57	74	101	460	397	187	83	10	-	-
ANSONIA																
ALL RACES	299	13	-	-	-	2	-	3	8	94	124	51	17	-	-	-
NONWHITE	40	4	-	-	-	1	-	-	1	21	14	2	1	-	-	-
BETHANY																
ALL RACES	69	3	-	-	-	-	-	1	2	8	25	23	10	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BRANFORD																
ALL RACES	338	20	-	-	-	2	1	-	1	50	153	101	26	4	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-
DERBY																
ALL RACES	168	14	-	-	-	2	1	7	5	58	63	28	4	-	-	-
NONWHITE	7	1	-	-	-	-	-	-	1	2	2	2	-	-	-	-
EAST HAVEN																
ALL RACES	304	13	-	-	2	1	8	4	8	71	116	82	12	-	-	-
NONWHITE	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
GUILFORD																
ALL RACES	246	16	-	-	-	1	-	1	2	25	82	94	37	4	-	-
NONWHITE	3	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-
HAMDEN																
ALL RACES	619	41	2	-	1	3	5	6	7	94	243	189	64	7	-	-
NONWHITE	74	8	1	-	1	2	4	1	2	15	19	14	16	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER											
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
MADISON																
ALL RACES	143	5	-	-	-	-	-	-	1	11	41	63	24	3	-	-
NONWHITE	6	1	-	-	-	-	-	-	-	1	1	1	2	1	-	-
MERIDEN																
ALL RACES	878	37	-	1	8	8	23	27	34	258	317	165	33	4	-	-
NONWHITE	63	3	-	1	4	1	4	3	-	25	17	7	1	-	-	-
MILFORD																
ALL RACES	673	33	4	-	1	2	8	14	13	120	274	182	57	2	-	-
NONWHITE	12	1	-	-	-	-	-	-	-	2	3	4	3	-	-	-
NEW HAVEN																
ALL RACES	2,254	265	5	27	43	52	59	111	140	682	645	340	135	19	1	-
NONWHITE	1,083	173	2	20	34	36	38	62	79	361	277	123	47	6	-	-
NORTH BRANFORD																
ALL RACES	127	3	-	1	-	1	2	2	1	12	39	58	10	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NORTH HAVEN																
ALL RACES	226	13	-	-	-	-	-	1	2	23	73	101	20	4	1	1
NONWHITE	5	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-
ORANGE																
ALL RACES	88	5	-	-	-	1	-	-	1	13	21	30	19	3	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
OXFORD																
ALL RACES	107	11	-	-	-	-	1	1	-	15	41	38	9	2	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
SEYMOUR																
ALL RACES	190	11	2	-	1	-	1	2	1	37	92	41	14	1	-	-
NONWHITE	6	1	-	-	-	-	-	-	-	-	4	2	-	-	-	-
SHELTON																
ALL RACES	437	21	-	-	1	1	4	2	8	79	169	138	31	4	-	-
NONWHITE	11	2	-	-	-	-	1	-	1	2	4	3	-	-	-	-
WALLINGFORD																
ALL RACES	542	29	-	-	1	1	4	9	11	115	242	120	38	1	-	-
NONWHITE	8	1	-	-	-	-	-	-	-	1	4	3	-	-	-	-
WEST HAVEN																
ALL RACES	799	43	1	1	1	1	15	18	36	172	314	194	43	4	-	-
NONWHITE	135	13	-	1	-	-	9	6	15	28	44	21	10	1	-	-
WOODBRIDGE																
ALL RACES	72	7	-	-	-	-	-	1	1	7	22	25	16	-	-	-
NONWHITE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER											
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
HSA 3 EASTERN																
ALL RACES	7,353	420	10	6	26	70	107	191	277	2,220	2,531	1,458	422	43	1	1
NONWHITE	454	50	1	1	6	15	16	19	27	131	140	72	25	2	-	-
ASHFORD																
ALL RACES	49	2	-	-	-	-	1	-	1	14	21	9	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH																
ALL RACES	20	1	-	-	-	-	-	-	1	6	9	4	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN																
ALL RACES	64	1	-	-	-	-	2	2	1	21	21	15	2	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CANTERBURY																
ALL RACES	59	4	-	-	-	-	1	2	3	19	20	12	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN																
ALL RACES	17	3	-	-	-	-	-	-	1	7	6	1	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER																
ALL RACES	38	2	-	-	-	-	-	-	1	7	13	14	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLINTON																
ALL RACES	173	12	-	-	-	-	-	6	1	35	66	49	16	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
COLCHESTER																
ALL RACES	161	9	-	-	-	1	2	5	6	33	70	38	6	-	-	-
NONWHITE	5	2	-	-	-	-	-	1	-	2	2	-	-	-	-	-
COLUMBIA																
ALL RACES	54	1	-	-	-	-	1	2	-	9	16	21	5	-	-	-
NONWHITE	2	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
COVENTRY																
ALL RACES	129	4	-	-	-	-	-	-	2	26	53	34	13	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
CROMWELL																
ALL RACES	124	5	1	-	-	1	1	1	1	19	48	41	12	-	-	-
NONWHITE	5	1	-	-	-	-	-	-	-	-	-	2	3	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER											
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
DEEP RIVER																
ALL RACES	65	7	-	-	-	2	-	-	-	16	26	15	5	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
DURHAM																
ALL RACES	61	3	-	-	-	-	-	-	1	10	23	20	4	3	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD																
ALL RACES	12	2	-	-	-	-	-	-	-	-	8	2	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM																
ALL RACES	83	7	-	-	-	1	-	-	4	17	38	19	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAMPTON																
ALL RACES	154	6	-	-	1	2	2	2	7	35	54	36	14	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
EAST LYME																
ALL RACES	159	4	-	-	-	-	2	2	1	29	67	46	10	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ESSEX																
ALL RACES	72	3	-	-	-	1	1	1	1	12	19	25	11	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
FRANKLIN																
ALL RACES	22	-	-	-	-	-	-	2	1	7	7	4	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD																
ALL RACES	163	3	-	-	1	1	3	2	7	55	71	18	5	-	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
GROTON																
ALL RACES	859	44	-	1	2	3	9	21	24	369	290	111	25	4	-	-
NONWHITE	65	8	-	-	1	-	1	3	3	19	24	14	-	-	-	-
HADDAM																
ALL RACES	85	5	1	-	1	-	-	2	1	15	28	24	13	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
HAMPTON																
ALL RACES	24	2	-	-	-	-	-	-	-	5	8	5	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY																
ALL RACES	232	19	1	-	1	5	6	11	15	82	70	35	6	1	-	-
NONWHITE	6	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER											
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
KILLINGWORTH																
ALL RACES	45	3	-	-	-	-	-	-	-	10	12	16	7	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON																
ALL RACES	57	1	-	-	-	-	-	1	-	10	26	18	2	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
LEDYARD																
ALL RACES	220	10	-	-	-	1	4	4	8	50	82	56	13	1	-	1
NONWHITE	7	1	-	-	-	-	-	-	-	2	2	3	-	-	-	-
LISBON																
ALL RACES	25	3	-	-	-	-	-	1	-	6	8	8	1	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME																
ALL RACES	18	1	1	-	-	-	-	-	-	2	4	10	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD																
ALL RACES	145	5	-	-	-	-	-	1	4	32	37	54	16	1	-	-
NONWHITE	9	-	-	-	-	-	-	-	-	2	6	1	-	-	-	-
MIDDLEFIELD																
ALL RACES	44	1	-	-	-	-	1	1	-	7	15	12	8	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MIDDLETOWN																
ALL RACES	536	36	2	3	5	11	10	18	20	148	200	94	23	4	-	-
NONWHITE	106	14	1	1	2	6	8	6	6	22	33	19	2	1	-	-
MONTVILLE																
ALL RACES	248	19	-	-	-	1	5	7	15	72	92	41	15	-	-	-
NONWHITE	9	-	-	-	-	-	-	-	1	2	3	2	1	-	-	-
NEW LONDON																
ALL RACES	509	42	-	-	3	7	12	25	41	180	151	72	16	2	-	-
NONWHITE	125	15	-	-	1	4	5	6	9	42	34	18	6	-	-	-
N STONINGTON																
ALL RACES	49	1	-	-	-	1	1	-	-	10	24	10	2	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NORWICH																
ALL RACES	674	46	-	1	6	14	10	23	44	260	198	90	27	1	-	-
NONWHITE	48	5	-	-	2	5	1	3	2	17	10	3	5	-	-	-
OLD LYME																
ALL RACES	80	3	-	-	1	-	1	-	2	13	32	23	8	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
OLD SAYBROOK																
ALL RACES	102	4	-	-	-	-	1	1	3	25	33	30	9	-	-	-
NONWHITE	5	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-
PLAINFIELD																
ALL RACES	200	9	-	1	-	1	7	7	6	83	63	21	8	3	-	-
NONWHITE	4	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
POMFRET																
ALL RACES	29	4	-	-	-	-	-	1	-	3	11	9	4	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND																
ALL RACES	93	1	-	-	-	-	1	-	4	28	30	25	5	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
PRESTON																
ALL RACES	29	1	-	-	-	-	-	1	1	11	8	6	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM																
ALL RACES	137	6	-	-	2	-	7	4	9	63	33	16	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALEM																
ALL RACES	37	1	-	-	-	-	-	1	1	3	16	14	2	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
SCOTLAND																
ALL RACES	5	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES	58	3	-	-	-	1	1	1	3	26	20	4	2	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
STERLING																
ALL RACES	20	2	-	-	1	-	-	2	1	7	6	3	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON																
ALL RACES	220	7	-	-	-	3	2	7	11	57	68	49	20	3	-	-
NONWHITE	5	1	-	-	-	-	-	-	-	1	2	1	1	-	-	-
THOMPSON																
ALL RACES	115	14	1	-	-	1	1	4	3	46	38	14	6	2	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
UNION																
ALL RACES	4	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
VOLUNTOWN																
ALL RACES	40	2	-	-	-	-	1	2	1	12	16	7	1	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WATERFORD																
ALL RACES	170	9	2	-	-	1	2	4	2	38	64	41	16	2	-	-
NONWHITE	5	2	-	-	-	-	-	-	-	1	2	2	-	-	-	-
WESTBROOK																
ALL RACES	72	8	-	-	1	-	1	2	1	19	21	24	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WILLINGTON																
ALL RACES	72	2	1	-	-	-	1	-	-	14	27	20	9	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WINDHAM																
ALL RACES	374	24	-	-	1	11	6	12	15	123	124	61	15	5	1	-
NONWHITE	15	-	-	-	-	-	-	-	2	7	5	-	-	1	-	-
WOODSTOCK																
ALL RACES	47	3	-	-	-	-	1	-	2	13	18	10	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL																
ALL RACES	12,552	918	15	39	71	147	220	326	384	2,957	4,478	2,995	861	68	5	1
NONWHITE	1,854	249	3	18	29	46	54	105	105	588	494	316	85	10	4	-
ANDOVER																
ALL RACES	48	1	-	-	-	-	-	1	1	10	18	10	7	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON																
ALL RACES	123	1	-	-	-	-	1	-	-	6	30	61	24	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN																
ALL RACES	178	10	-	-	-	-	2	4	3	16	77	60	15	1	-	-
NONWHITE	5	2	-	-	-	-	1	-	-	-	-	4	-	-	-	-
BLOOMFIELD																
ALL RACES	197	9	-	2	2	3	1	7	6	28	62	64	20	2	-	-
NONWHITE	92	7	-	1	1	3	1	6	4	10	30	27	7	2	-	-
BOLTON																
ALL RACES	72	3	-	-	-	-	-	-	1	11	27	25	7	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER											
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
BRISTOL																
ALL RACES	803	55	-	2	1	3	11	19	21	223	326	161	29	6	1	-
NONWHITE	36	-	-	1	-	-	-	1	1	10	9	12	2	-	-	-
BURLINGTON																
ALL RACES	93	4	-	-	-	1	-	-	-	7	40	32	13	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTON																
ALL RACES	128	9	-	-	-	-	-	1	1	24	42	50	9	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
EAST GRANBY																
ALL RACES	61	4	-	-	-	1	1	-	-	11	25	18	5	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
EAST HARTFORD																
ALL RACES	608	52	3	3	5	4	6	13	16	179	228	118	33	3	-	-
NONWHITE	89	7	1	2	1	1	1	1	3	25	33	17	5	-	-	-
EAST WINDSOR																
ALL RACES	142	8	-	-	-	1	1	2	6	45	52	30	5	-	-	-
NONWHITE	7	3	-	-	-	-	-	-	1	1	3	2	-	-	-	-
ELLINGTON																
ALL RACES	131	18	-	-	-	-	1	-	-	31	58	31	9	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ENFIELD																
ALL RACES	563	38	1	-	-	1	8	6	14	132	248	119	32	3	-	-
NONWHITE	17	3	-	-	-	1	-	-	-	5	2	7	-	2	-	-
FARMINGTON																
ALL RACES	205	12	-	-	-	2	-	1	3	16	80	74	25	4	-	-
NONWHITE	9	1	-	-	-	-	-	-	-	-	4	4	1	-	-	-
GLASTONBURY																
ALL RACES	261	12	-	-	-	-	2	3	3	23	96	91	40	3	-	-
NONWHITE	8	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-
GRANBY																
ALL RACES	131	5	-	-	-	-	2	1	1	16	59	41	10	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
HARTFORD																
ALL RACES	2,828	326	7	25	46	90	126	181	169	1,019	703	347	110	9	3	-
NONWHITE	1,235	195	2	9	24	37	43	93	81	453	295	155	40	2	3	-
HARTLAND																
ALL RACES	23	-	-	-	-	-	-	-	-	3	11	9	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER											
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
HEBRON																
ALL RACES	125	7	-	-	-	1	2	1	1	19	39	49	12	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
MANCHESTER																
ALL RACES	652	33	1	1	-	2	4	9	18	149	270	154	41	4	-	-
NONWHITE	39	2	-	1	-	-	2	1	1	9	16	7	2	-	-	-
MARLBOROUGH																
ALL RACES	76	7	1	-	-	-	1	-	2	5	26	39	3	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
NEW BRITAIN																
ALL RACES	1,072	87	-	4	11	21	25	36	45	306	359	224	37	4	-	-
NONWHITE	114	11	-	2	2	1	3	1	6	33	42	18	5	1	-	-
NEWINGTON																
ALL RACES	267	16	1	-	-	-	1	-	5	29	118	82	31	1	-	-
NONWHITE	8	2	-	-	-	-	-	-	-	-	2	6	-	-	-	-
PLAINVILLE																
ALL RACES	201	14	-	-	-	-	1	3	2	54	94	44	3	-	-	-
NONWHITE	6	1	-	-	-	-	-	-	-	2	3	1	-	-	-	-
PLYMOUTH																
ALL RACES	155	9	-	-	-	1	2	4	5	28	67	39	9	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY HILL																
ALL RACES	179	3	-	-	-	-	-	1	1	23	81	54	17	2	-	-
NONWHITE	9	1	-	-	-	-	-	-	-	-	4	2	2	1	-	-
SIMSBURY																
ALL RACES	225	9	-	-	-	1	1	4	2	19	71	92	33	2	-	-
NONWHITE	7	-	-	-	-	1	-	-	-	1	-	1	3	1	-	-
SOMERS																
ALL RACES	97	5	-	-	-	-	3	-	2	18	27	38	9	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
SOUTHINGTON																
ALL RACES	448	34	-	-	-	2	4	8	5	93	169	117	47	2	-	1
NONWHITE	9	-	-	-	-	-	-	1	1	1	1	-	5	-	-	-
SOUTH WINDSOR																
ALL RACES	262	18	-	-	-	1	1	-	4	35	120	78	22	1	-	-
NONWHITE	16	2	-	-	-	1	-	-	-	5	6	3	1	-	-	-
STAFFORD																
ALL RACES	193	10	-	-	-	3	3	4	5	52	80	37	8	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
SUFFIELD																
ALL RACES	115	4	-	-	1	-	-	-	2	21	55	27	9	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
TOLLAND																
ALL RACES	145	6	-	-	-	-	1	2	4	18	59	42	17	2	-	-
NONWHITE	5	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-
VERNON																
ALL RACES	464	23	-	-	2	2	5	11	19	128	171	99	24	3	-	-
NONWHITE	21	3	-	-	-	1	2	-	2	5	6	5	-	-	-	-
WEST HARTFORD																
ALL RACES	572	35	-	1	2	1	-	1	3	54	202	211	90	6	1	-
NONWHITE	43	6	-	1	-	-	-	1	1	9	13	12	5	-	1	-
WETHERSFIELD																
ALL RACES	255	7	-	-	-	3	1	2	2	31	96	98	22	-	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
WINDSOR																
ALL RACES	287	9	1	1	-	1	-	1	8	40	121	86	27	2	-	-
NONWHITE	54	3	-	1	-	-	-	-	3	12	11	22	4	1	-	-
WINDSOR LOCKS																
ALL RACES	167	15	-	-	1	2	3	-	4	35	71	44	7	-	-	-
NONWHITE	6	-	-	-	1	-	1	-	-	2	-	2	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES	6,935	407	28	9	26	53	102	144	203	1,570	2,532	1,747	486	61	1	1
NONWHITE	526	55	-	4	11	20	20	24	37	156	136	89	28	1	-	-
BARKHAMSTED																
ALL RACES	29	4	-	-	-	-	-	-	-	2	8	17	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS																
ALL RACES	57	5	-	-	-	-	-	-	1	10	35	7	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL																
ALL RACES	250	13	3	-	1	1	-	2	2	51	96	70	27	-	-	-
NONWHITE	5	1	-	-	-	-	-	-	-	-	4	1	-	-	-	-
BETHLEHEM																
ALL RACES	25	1	-	-	-	1	-	-	-	1	11	9	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
BRIDGEWATER																
ALL RACES	12	-	1	-	-	-	-	-	-	1	4	5	2	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BROOKFIELD																
ALL RACES	164	10	-	-	-	1	-	-	2	31	41	64	22	3	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
CANAAN																
ALL RACES	29	1	-	-	-	-	-	1	2	8	11	6	1	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
CHESHIRE																
ALL RACES	245	10	-	-	-	-	1	1	-	16	97	102	23	5	-	-
NONWHITE	5	1	-	-	-	-	-	-	-	-	1	3	1	-	-	-
COLEBROOK																
ALL RACES	14	-	-	-	-	-	-	-	-	2	3	6	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL																
ALL RACES	14	1	-	-	-	-	-	-	-	3	1	7	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
DANBURY																
ALL RACES	948	54	3	1	4	6	8	19	28	236	372	217	49	7	1	-
NONWHITE	113	15	-	1	-	3	2	6	3	31	29	29	9	-	-	-
GOSHEN																
ALL RACES	21	-	1	-	-	-	-	1	-	2	10	5	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON																
ALL RACES	61	5	-	-	-	-	1	1	-	5	32	14	7	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT																
ALL RACES	24	2	-	-	-	-	-	-	1	8	8	6	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD																
ALL RACES	83	2	-	-	-	-	-	-	-	19	34	20	9	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MIDDLEBURY																
ALL RACES	47	4	-	-	-	1	-	1	-	2	19	16	8	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS																
ALL RACES	20	1	-	-	-	1	-	-	-	3	5	7	4	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NAUGATUCK																
ALL RACES	509	32	-	-	-	-	6	10	14	148	205	98	25	3	-	-
NONWHITE	21	-	-	-	-	-	-	-	1	5	8	6	1	-	-	-
NEW FAIRFIELD																
ALL RACES	157	8	2	-	-	-	1	2	2	21	51	58	18	4	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
NEW HARTFORD																
ALL RACES	78	9	-	-	-	-	-	2	1	6	23	31	14	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NEW MILFORD																
ALL RACES	312	18	2	-	-	-	1	7	6	81	120	73	19	5	-	-
NONWHITE	14	1	-	-	-	-	-	-	-	2	6	5	1	-	-	-
NEWTOWN																
ALL RACES	247	9	1	-	-	1	-	1	3	28	89	94	29	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
NORFOLK																
ALL RACES	40	-	-	-	-	-	-	1	1	3	14	13	5	3	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN																
ALL RACES	28	-	-	-	-	1	-	4	2	5	7	4	5	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PROSPECT																
ALL RACES	71	5	-	-	-	-	-	-	2	16	23	24	5	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
REDDING																
ALL RACES	82	3	-	-	-	-	-	-	-	4	25	44	8	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
RIDGEFIELD																
ALL RACES	227	9	7	-	-	1	1	-	-	15	69	103	36	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ROXBURY																
ALL RACES	20	-	1	-	-	-	-	-	-	2	4	12	2	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SALISBURY																
ALL RACES	34	1	-	-	-	-	1	1	1	7	10	11	2	1	-	-
NONWHITE	2	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
SHARON																
ALL RACES	34	1	3	-	1	-	-	1	4	7	9	10	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1985-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
SHERMAN																
ALL RACES	25	2	-	-	-	-	-	-	-	4	7	12	1	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
SOUTHBURY																
ALL RACES	127	7	2	-	-	-	-	1	1	13	50	49	11	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
THOMASTON																
ALL RACES	82	2	-	-	-	-	3	-	2	20	31	20	6	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TORRINGTON																
ALL RACES	437	23	-	-	-	4	11	16	14	117	161	98	15	1	-	-
NONWHITE	15	-	-	-	-	1	2	-	-	2	4	5	1	-	-	-
WARREN																
ALL RACES	8	-	-	-	-	-	-	-	1	1	1	4	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON																
ALL RACES	46	4	-	-	-	-	-	1	1	12	14	13	4	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WATERBURY																
ALL RACES	1,729	125	2	8	18	32	64	58	94	538	595	249	61	11	-	1
NONWHITE	319	36	-	3	11	16	16	17	33	114	73	25	11	-	-	-
WATERTOWN																
ALL RACES	228	12	-	-	1	3	-	4	5	41	98	52	22	2	-	-
NONWHITE	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
WINCHESTER																
ALL RACES	147	8	-	-	1	-	3	5	10	42	53	27	6	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WOLCOTT																
ALL RACES	133	12	-	-	-	-	1	3	2	22	60	38	6	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WOODBURY																
ALL RACES	91	4	-	-	-	-	-	1	1	17	26	32	12	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

- NO BIRTHS REPORTED

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1985

	ALL RACES											NONWHITE									
	Age of Mother											Age of Mother									
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	302	2	26	66	82	74	24	3	-	-	25	62	1	11	15	15	14	3	-	-	-	3
Sex:																						
Male	143	1	15	27	39	31	14	1	-	-	15	32	-	7	7	8	5	2	-	-	-	3
Female	152	1	11	38	41	40	10	2	-	-	9	29	1	4	8	6	9	1	-	-	-	-
Unknown	7	-	-	1	2	3	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Place of delivery:																						
Hospitals	300	2	26	66	81	74	24	3	-	-	24	62	1	11	15	15	14	3	-	-	-	3
Other	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	5	1	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
20-27 weeks	106	1	8	20	26	27	13	1	-	-	10	29	1	4	3	9	8	2	-	-	-	2
28-31 weeks	28	-	1	7	11	6	-	-	-	-	3	5	-	-	1	2	1	-	-	-	-	1
32-35 weeks	26	-	3	10	7	6	-	-	-	-	-	4	-	1	3	-	-	-	-	-	-	-
36 weeks	9	-	1	3	1	1	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
37-39 weeks	23	-	3	7	4	4	4	-	-	-	1	5	-	2	1	-	1	1	-	-	-	-
40 weeks or over	31	-	3	6	9	10	1	-	-	-	2	4	-	1	1	-	2	-	-	-	-	-
Unknown	74	-	7	13	23	18	3	2	-	-	8	14	-	3	6	4	1	-	-	-	-	-
Weight at birth:																						
1000 grams or less	143	1	10	30	38	36	15	2	-	-	11	36	1	5	8	11	8	2	-	-	-	1
1001-1500 grams	21	-	1	4	9	6	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
1501-2000 grams	22	-	3	6	6	3	2	-	-	-	2	4	-	1	2	1	-	-	-	-	-	-
2001-2500 grams	9	-	1	2	2	2	1	-	-	-	1	3	-	1	1	-	1	-	-	-	-	-
2501-3000 grams	21	-	3	6	6	4	2	-	-	-	-	6	-	2	2	-	1	1	-	-	-	-
3001-3500 grams	16	-	2	3	5	4	2	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-
3501-4000 grams	8	-	1	4	2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
4001-4500 grams	6	-	-	2	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Over 4500 grams	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	55	1	5	9	12	17	1	1	-	-	9	9	-	1	1	2	3	-	-	-	-	2
Plural births:																						
Single	276	2	26	65	72	68	20	2	-	-	21	57	1	11	15	12	13	3	-	-	-	2
Twins	26	-	-	1	10	6	4	1	-	-	4	5	-	-	-	3	1	-	-	-	-	1
Triplets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6: CAUSES OF FETAL DEATHS OCCURRING IN CONNECTICUT, 1985

ICD No.	Causes of Fetal Deaths (ICD Ninth Revision)	TOTAL
	Total, all causes	302
228	Hemangioma and lymphangioma	1
740	Anencephalus and similar anomalies	1
741	Spina bifida	1
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	1
746	Other congenital anomalies of heart	2
748	Congenital anomalies of respiratory system	1
756	Other congenital musculoskeletal anomalies	1
758	Chromosomal anomalies	7
759	Other and unspecified congenital anomalies	6
760	Fetus affected by maternal conditions which may be unrelated to present pregnancy	7
761	Fetus affected by maternal complications of pregnancy	24
762	Fetus affected by complications of placenta, cord and membranes	104
763	Fetus or newborn affected by other complications of labor and delivery.	1
764	Slow fetal growth and fetal malnutrition	2
765	Disorders relating to short gestation and unspecified low birthweight	23
768	Intrauterine hypoxia and birth asphyxia	11
770	Other respiratory conditions of fetus	1
778	Conditions involving the integument and temperature regulation of fetus	8
779	Other and ill-defined conditions originating in the perinatal period	100

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1985

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
TOTAL, ALL CAUSES	28,051	434	20	22	11	10	497	32	34	176	244	313	311	350	446	551	802	1,444	2,270	3,002	3,623	3,893	3,697	6,365	1
MALE	14,192	238	15	11	6	5	275	22	20	141	201	231	207	229	288	326	502	920	1,417	1,754	2,029	2,013	1,634	1,982	1
FEMALE	13,859	196	5	11	5	5	222	10	14	35	43	82	104	121	158	225	300	524	853	1,248	1,594	1,880	2,063	4,383	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
10-18 TUBERCULOSIS																									
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
36 MENINGOCOCCAL INFECTION																									
MALE	3	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	114	1	-	-	-	1	2	1	-	-	-	-	-	2	2	1	2	3	11	19	16	19	14	22	-
FEMALE	159	1	-	-	-	-	1	-	-	-	1	-	-	2	2	3	4	5	3	15	17	21	26	59	-
90-97 SYPHILIS																									
MALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	65	-	-	1	-	-	1	1	-	-	6	3	6	5	4	4	3	3	4	7	5	4	4	5	-
FEMALE	38	-	-	1	-	-	1	-	-	-	-	2	5	-	3	3	1	2	3	3	3	2	3	7	-
140-208 MALIGNANT NEOPLASMS																									
MALE	3,483	-	2	1	1	1	5	1	1	7	11	11	21	30	72	85	154	315	470	567	593	519	347	274	-
FEMALE	3,297	-	-	2	1	-	3	2	3	3	-	12	27	38	72	115	138	241	380	466	550	464	366	417	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	60	-	-	-	-	-	-	1	1	-	-	2	2	1	2	1	2	1	5	7	11	8	7	9	-
FEMALE	74	-	-	-	-	1	1	-	1	-	-	-	-	2	1	1	3	6	7	7	6	8	8	23	-
250 DIABETES MELLITIS																									
MALE	183	-	-	-	-	-	-	-	-	-	-	1	2	6	5	-	6	10	22	32	34	30	22	13	-
FEMALE	251	-	-	-	-	-	-	-	-	-	1	5	1	1	7	3	4	12	25	27	33	37	41	54	-
280-285 ANEMIAS																									
MALE	27	-	-	-	-	-	-	1	-	2	1	-	-	1	-	-	-	2	3	1	2	5	4	5	-
FEMALE	28	-	-	-	-	-	-	-	1	1	1	-	1	-	2	-	-	-	3	1	2	2	5	9	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	44	-	-	-	-	-	-	-	-	-	-	3	-	2	7	3	7	5	6	4	6	1	-	-	-
FEMALE	17	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	3	4	-	4	-	-	1	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1985-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
320-322 MENINGITIS																								
MALE	6	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	1	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																								
MALE	6,415	2	1	1	-	-	4	1	1	4	6	14	19	50	94	137	219	400	656	846	989	983	880	1,112	-
FEMALE	6,898	3	-	1	-	1	5	1	-	1	4	8	10	25	26	56	92	156	298	491	699	973	1,196	2,857	-
390-398,402,404-429 DISEASES OF THE HEART																								
MALE	5,364	2	1	1	-	-	4	1	1	2	4	13	14	32	81	119	202	352	583	743	834	799	711	869	-
FEMALE	5,359	2	-	1	-	1	4	1	-	1	1	3	8	14	18	43	71	127	252	425	572	761	925	2,133	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																								
MALE	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	7	2	2	2	1	-
FEMALE	62	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	6	4	13	13	12	10	-
402 HYPERTENSIVE HEART DISEASE																								
MALE	114	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	9	13	17	16	11	16	9	15	-
FEMALE	157	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	4	11	19	16	20	23	58	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																								
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
410-414 ISCHEMIC HEART DISEASE																								
MALE	3,706	-	-	-	-	-	-	-	-	-	1	6	8	18	51	81	144	235	398	502	576	557	499	630	-
FEMALE	3,597	-	-	-	-	1	1	-	-	-	-	1	1	5	11	25	35	77	142	290	374	527	645	1,463	-
415-429 OTHER HEART DISEASE																								
MALE	1,519	2	1	1	-	-	4	1	1	2	3	7	6	11	26	36	48	103	163	218	244	223	200	223	-
FEMALE	1,536	2	-	1	-	-	3	1	-	1	1	1	7	8	7	14	34	44	93	112	168	200	244	598	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																								
MALE	55	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	5	8	7	9	8	12	-
FEMALE	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	1	4	9	11	12	29	-
430-438 CEREBROVASCULAR DISEASES																								
MALE	686	-	-	-	-	-	-	-	-	2	2	1	4	14	10	10	13	28	44	57	102	124	122	153	-
FEMALE	1,158	1	-	-	-	-	1	-	-	-	3	5	2	10	8	10	14	23	40	47	97	156	212	530	-
440 ATHEROSCLEROSIS																								
MALE	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	10	8	13	16	16	51	-
FEMALE	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	6	8	17	25	131	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																								
MALE	187	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	11	14	14	30	33	35	23	27	-
FEMALE	117	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	9	13	28	22	34	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1985-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
480-486 PNEUMONIA																									
MALE	451	4	1	-	-	1	6	-	1	3	1	-	3	5	-	5	4	10	21	23	45	74	70	180	-
FEMALE	558	5	-	1	-	-	6	1	-	-	-	3	1	1	2	2	3	7	9	20	51	67	87	298	-
487 INFLUENZA																									
MALE	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	9	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE	484	-	-	-	-	-	-	-	1	1	-	2	-	1	1	4	6	13	36	60	101	99	83	76	-
FEMALE	373	-	-	-	-	-	-	-	-	1	-	-	1	1	-	4	5	17	26	58	46	69	63	82	-
531-533 ULCER OF STOMACH AND DUODENUM																									
MALE	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	6	4	6	5	10	-
FEMALE	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	12	10	10	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	3	4	6	-
FEMALE	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	6	14	13	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE	181	-	-	-	-	-	-	-	-	-	2	-	4	9	12	12	18	24	22	23	20	23	9	3	-
FEMALE	121	-	-	-	-	-	-	-	-	-	-	1	5	2	7	6	8	17	9	28	12	13	9	4	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE	153	-	-	-	-	-	-	1	-	-	-	1	-	3	3	3	1	5	9	15	16	32	21	43	-
FEMALE	156	1	-	-	-	-	1	-	-	-	-	-	1	3	-	2	-	3	9	11	21	22	28	55	-
590 INFECTIONS OF KIDNEY																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	2	1	4	-
600 HYPERPLASIA OF PROSTATE																									
MALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
740-759 CONGENITAL ANOMALIES																									
MALE	70	53	4	1	-	-	58	1	1	2	1	1	-	-	-	2	-	1	1	1	2	2	2	1	2	-
FEMALE	65	44	1	1	-	1	47	-	-	1	1	-	2	-	2	-	1	1	1	2	2	2	1	2	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE	137	137	-	-	-	-	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	117	116	1	-	-	-	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE	23	23	-	-	-	-	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	13	13	-	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1985-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E800-E949 ACCIDENTS																									
MALE	636	1	4	1	2	1	9	10	6	77	91	88	64	31	27	21	20	30	38	24	33	25	17	24	1
FEMALE	286	1	1	2	2	1	7	4	3	14	15	18	14	16	8	5	11	10	12	12	32	21	25	59	-
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE	346	-	3	-	-	1	4	5	2	62	74	66	34	14	13	8	7	14	16	7	8	4	5	3	-
FEMALE	107	-	-	-	1	-	1	2	2	12	11	14	9	9	4	2	3	7	5	3	9	2	5	7	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE	35	-	-	-	1	-	1	3	2	5	1	4	6	2	4	1	-	-	1	2	3	-	-	-	-
FEMALE	8	-	-	1	-	-	1	1	1	1	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																									
MALE	233	-	-	-	-	-	-	-	-	2	13	29	34	15	25	16	13	14	12	16	14	13	5	6	6	-
FEMALE	47	-	-	-	-	-	-	-	-	1	-	5	4	3	4	4	5	4	5	2	4	1	3	-	2	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE	107	-	-	-	1	-	1	-	3	16	24	19	6	10	9	4	3	5	4	1	2	-	-	-	-
FEMALE	38	1	-	-	-	-	1	-	-	5	4	6	6	4	1	2	1	2	1	-	2	1	2	-	-
ALL OTHER CAUSES																									
MALE	1,246	13	3	4	2	1	23	3	3	16	29	52	65	47	34	31	40	74	92	101	136	174	136	190	-
FEMALE	1,212	11	2	3	1	1	18	2	4	9	10	22	26	20	20	16	22	37	60	94	105	153	176	418	-

- NO DEATHS REPORTED
NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1985

ICD 9TH REVISION	Total	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
TOTAL, ALL CAUSES	1,658	116	5	3	-	2	126	4	6	23	31	56	71	68	79	88	87	136	165	159	166	127	131	134	1
MALE	911	68	4	1	-	1	74	3	5	19	27	39	42	45	54	44	55	76	107	83	87	56	48	46	1
FEMALE	747	48	1	2	-	1	52	1	1	4	4	17	29	23	25	44	32	60	58	76	79	71	83	88	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-18 TUBERCULOSIS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	16	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	2	2	3	-	2	1	3	-
FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	1	-	2	1	-
90-97 SYPHILIS																									
MALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	15	-	-	-	-	-	-	-	-	-	3	1	3	2	1	1	-	-	3	1	-	-	-	-	-
FEMALE	9	-	-	-	-	-	-	-	-	-	-	1	4	-	-	2	-	1	1	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																									
MALE	194	-	-	-	-	-	-	-	1	2	1	-	4	5	6	9	17	26	35	24	27	20	11	6	-
FEMALE	164	-	-	1	-	-	1	-	-	-	-	-	5	3	11	17	5	23	19	22	21	11	17	9	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-
250 DIABETES MELLITIS																									
MALE	16	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	4	4	3	-	2	-	-
FEMALE	27	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	1	6	2	5	4	2	-
280-285 ANEMIAS																									
MALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	12	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	3	2	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
320-322 MENINGITIS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1985-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	326	1	1	-	-	-	2	-	-	-	1	5	5	10	19	15	17	33	47	42	48	28	26	28	-
FEMALE	307	-	-	1	-	-	1	-	-	1	2	2	3	6	6	15	15	22	26	35	34	38	43	58	-
390-398,402,404-429 DISEASES OF THE HEART																									
MALE	259	1	1	-	-	-	2	-	-	-	-	5	4	5	15	13	13	28	43	33	38	22	17	21	-
FEMALE	223	-	-	1	-	-	1	-	-	1	1	2	2	2	4	11	12	17	22	31	24	24	29	40	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	4	2	1	-	-	1	-
FEMALE	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	2	3	-	1	2	2	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	141	-	-	-	-	-	-	-	-	-	-	1	3	2	6	5	7	13	21	21	27	11	9	15	-
FEMALE	124	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	6	10	21	11	14	19	32	-
415-429 OTHER HEART DISEASE																									
MALE	100	1	1	-	-	-	2	-	-	-	-	4	1	3	8	7	4	10	17	10	10	11	8	5	-
FEMALE	79	-	-	1	-	-	1	-	-	1	1	1	2	1	2	4	5	9	10	7	12	9	8	6	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	2	-
FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	1	1	2	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	50	-	-	-	-	-	-	-	-	-	1	-	1	5	3	1	4	3	3	7	9	3	8	2	-
FEMALE	62	-	-	-	-	-	-	-	-	-	1	-	1	3	2	2	1	3	4	3	8	9	11	14	-
440 ATHEROSCLEROSIS																									
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-
FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	1	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	1	-	-	-
FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	2	-	1	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1985-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
480-486 PNEUMONIA																										
MALE	15	1	-	-	-	-	1	-	-	-	-	-	1	1	-	3	1	1	1	-	1	2	1	2	-	
FEMALE	14	1	-	-	-	-	1	1	-	-	-	-	1	1	-	1	1	1	1	-	1	1	2	2	-	
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																										
MALE	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	3	1	3	-	-	
FEMALE	17	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	4	1	4	2	2	2	1	-	
531-533 ULCER OF STOMACH AND DUODENUM																										
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																										
MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																										
MALE	15	-	-	-	-	-	-	-	-	-	1	-	1	2	3	3	1	2	1	-	1	-	-	-	-	
FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	4	1	1	1	-	-	-	1	-	-	1	-	-	
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																										
MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	-	-	
FEMALE	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	4	2	-	
590 INFECTIONS OF KIDNEY																										
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
740-759 CONGENITAL ANOMALIES																										
MALE	8	7	1	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE	11	9	-	-	-	1	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																										
MALE	48	48	-	-	-	-	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE	29	29	-	-	-	-	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
798.0 SUDDEN INFANT DEATH SYNDROME																										
MALE	6	6	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E800-E949 ACCIDENTS																										
MALE	47	-	1	-	-	1	2	2	3	2	2	6	6	5	3	4	2	3	4	1	-	-	-	1	-	
FEMALE	17	-	-	-	-	-	-	-	1	-	1	1	2	4	-	-	2	1	-	-	3	1	-	1	-	1

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1985-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE	20	-	1	-	-	1	2	1	1	2	2	3	4	-	2	-	-	-	3	-	-	-	-	-	-
FEMALE	8	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	1	1	-	-	1	-	-	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE	5	-	-	-	-	-	-	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																									
MALE	14	-	-	-	-	-	-	-	-	1	3	3	1	4	-	1	-	-	1	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE	50	-	-	-	-	-	-	-	-	12	13	11	3	2	6	-	1	2	-	-	-	-	-	-	-
FEMALE	9	-	-	-	-	-	-	-	-	2	-	3	2	-	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER CAUSES																									
MALE	97	2	1	1	-	-	4	1	-	1	3	11	18	11	11	6	9	2	7	3	1	1	2	6	-
FEMALE	89	4	1	-	-	-	5	-	-	-	1	9	7	5	4	2	6	2	7	6	11	10	5	9	-

- NO DEATHS REPORTED

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1985

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT.....	434	116	221	80	41	40	52	97	253	50	18	36	48
HSA 1 SOUTHWESTERN..	88	28	40	15	9	13	11	16	52	6	8	10	10
BRIDGEPORT	41	19	18	5	5	7	6	6	26	3	7	6	3
DARIEN	1	-	-	-	-	1	-	-	-	-	-	-	1
EASTON	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD	9	1	3	4	-	2	-	-	8	1	-	1	-
GREENWICH	4	-	3	-	1	-	-	1	3	1	-	-	-
MONROE	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW CANAAN	1	-	1	-	-	-	-	-	1	-	-	-	-
NORWALK	8	3	3	-	1	2	2	3	2	-	-	1	2
STAMFORD	13	5	5	4	2	1	1	2	7	1	-	1	3
STRATFORD	6	-	4	2	-	-	-	4	2	-	-	-	-
TRUMBULL	2	-	1	-	-	-	1	-	1	-	-	1	-
WESTON	1	-	-	-	-	-	1	-	-	-	-	-	1
WESTPORT	1	-	1	-	-	-	-	-	1	-	-	-	-
WILTON	1	-	1	-	-	-	-	-	1	-	1	-	-
HSA 2 SOUTH CENTRAL.	78	26	41	14	11	3	9	18	44	12	2	7	9
ANSONIA	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHANY	-	-	-	-	-	-	-	-	-	-	-	-	-
BRANFORD	2	-	-	1	1	-	-	1	1	1	-	-	-
DERBY	2	-	1	-	-	-	1	-	1	-	-	-	1
EAST HAVEN	1	-	1	-	-	-	-	-	1	1	-	-	-
GUILFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMDEN	5	-	2	2	1	-	-	3	1	-	-	-	1
MADISON	1	-	-	-	1	-	-	-	1	-	-	-	-
MERIDEN	5	-	-	1	2	-	2	1	2	-	-	1	1
MILFORD	3	-	3	-	-	-	-	-	3	-	-	-	-
NEW HAVEN	40	20	22	6	5	3	4	9	21	6	-	6	4
NORTH BRANFORD.....	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH HAVEN	1	-	1	-	-	-	-	-	1	-	1	-	-
ORANGE	-	-	-	-	-	-	-	-	-	-	-	-	-
OXFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
SEYMOUR	2	1	1	1	-	-	-	-	2	-	1	-	-
SHELTON	3	1	2	-	-	-	1	-	2	1	-	-	1
WALLINGFORD	1	-	-	1	-	-	-	-	1	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1985-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
WEST HAVEN	11	4	8	1	1	-	1	3	7	3	-	-	1
WOODBRIDGE	1	-	-	1	-	-	-	1	-	-	-	-	-
HSA 3 EASTERN	76	8	33	19	6	8	10	16	42	8	2	8	10
ASHFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN	1	-	-	-	-	-	1	-	-	-	-	1	-
CHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
CLINTON	2	-	-	1	-	-	1	1	-	-	-	-	1
COLCHESTER	1	-	-	-	-	-	1	1	-	-	-	-	-
COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY	-	-	-	-	-	-	-	-	-	-	-	-	-
CROMWELL	-	-	-	-	-	-	-	-	-	-	-	-	-
DEEP RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	2	-	1	1	-	-	-	-	2	-	-	-	-
EAST HAMPTON	3	-	1	1	-	1	-	1	1	-	-	1	-
EAST LYME	2	-	1	-	-	-	1	-	1	-	-	-	1
ESSEX	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	1	-	-	1	-	-	-	-	-	-	-	-	1
GROTON	10	1	8	1	-	1	-	1	9	4	1	-	-
HADDAM	2	-	1	1	-	-	-	1	1	-	-	-	-
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY	3	-	2	-	-	1	-	1	1	-	-	-	1
KILLINGWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON	-	-	-	-	-	-	-	-	-	-	-	-	-
LEDYARD	3	1	1	2	-	-	-	1	2	-	-	-	-
LISBON	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME	1	-	-	1	-	-	-	1	-	-	-	-	-
MANSFIELD	3	-	2	-	1	-	-	-	2	1	-	-	1
MIDDLEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN	8	3	6	1	-	-	1	3	4	-	-	1	-
MONTVILLE	2	-	-	-	1	1	-	-	1	-	-	-	1
NEW LONDON	7	2	2	1	2	2	-	1	3	1	-	3	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1985-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
N STONINGTON	1	-	-	-	1	-	-	1	-	-	-	-	-
NORWICH	5	1	3	2	-	-	-	-	5	1	-	-	-
OLD LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
OLD SAYBROOK	1	-	-	-	-	-	1	-	-	-	-	1	-
PLAINFIELD	2	-	1	-	-	1	-	-	1	-	-	1	-
POMFRET	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
PRESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM	2	-	-	1	-	-	1	1	-	-	-	-	1
SALEM	1	-	1	-	-	-	-	-	1	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-
STERLING	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON	1	-	-	-	-	-	1	-	-	-	-	-	1
THOMPSON	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	1	-	-	1	-	-	-	-	1	-	-	-	-
WATERFORD	2	-	-	1	1	-	-	-	2	-	-	-	-
WESTBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON	1	-	-	1	-	-	-	-	1	-	-	-	-
WINDHAM	7	-	3	1	-	1	2	2	3	1	-	-	2
WOODSTOCK	1	-	-	1	-	-	-	-	1	-	1	-	-
HSA 4 NORTH CENTRAL	148	46	80	28	10	13	17	34	91	16	4	8	15
ANDOVER	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON	-	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
BLOOMFIELD	2	1	-	1	-	-	1	-	1	-	-	-	1
BOLTON	2	-	-	2	-	-	-	1	1	-	-	-	-
BRISTOL	5	-	3	1	-	-	1	3	2	-	-	-	-
BURLINGTON	1	-	-	-	-	-	1	-	-	-	-	1	-
CANTON	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	6	1	5	1	-	-	-	2	4	1	-	-	-
EAST WINDSOR	1	-	1	-	-	-	-	-	1	-	-	-	-
ELLINGTON	6	-	-	5	-	1	-	1	5	-	-	-	-
ENFIELD	5	-	4	-	1	-	-	1	2	1	-	-	2
FARMINGTON	2	-	-	1	-	1	-	-	1	-	-	1	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1985-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
GLASTONBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANBY	1	-	1	-	-	-	-	-	1	-	1	-	-
HARTFORD	57	38	35	7	2	6	7	13	36	7	2	4	4
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	1	-	-	-	1	-	-	1	-	-	-	-	-
MANCHESTER	8	-	5	1	-	-	2	2	4	3	-	-	2
MARLBOROUGH	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN	16	1	9	3	1	3	-	3	12	2	-	1	-
NEWINGTON	3	1	3	-	-	-	-	-	3	1	-	-	-
PLAINVILLE	5	-	3	-	1	-	1	2	2	-	-	-	1
PLYMOUTH	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY HILL	1	-	-	-	-	-	1	-	1	-	-	-	-
SIMSBURY	1	-	1	-	-	-	-	-	-	-	-	-	1
SOMERS	2	-	2	-	-	-	-	1	1	-	-	-	-
SOUTHINGTON	3	-	1	1	-	-	1	-	2	-	-	-	1
SOUTH WINDSOR	1	-	1	-	-	-	-	1	-	-	-	-	-
STAFFORD	3	-	-	-	1	1	1	1	-	-	-	-	2
SUFFIELD	2	-	-	1	1	-	-	1	1	-	-	-	-
TOLLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	4	-	2	1	1	-	-	-	3	1	1	-	1
WEST HARTFORD	5	2	2	2	-	1	-	1	4	-	-	-	-
WETHERSFIELD	1	-	-	-	1	-	-	-	1	-	-	-	-
WINDSOR	4	2	2	1	-	-	1	-	3	-	-	1	-
WINDSOR LOCKS	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 5 NORTHWESTERN..	44	8	27	4	5	3	5	13	24	8	2	3	4
BARKHAMSTED	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS	1	-	1	-	-	-	-	-	1	-	-	-	-
BETHEL	1	-	-	-	-	-	1	-	-	-	-	-	1
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	1	-	-	1	-	-	-	1	-	-	-	-	-
CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE	3	-	2	-	-	-	1	-	2	-	-	-	1
COLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY	2	1	2	-	-	-	-	1	1	1	-	-	-
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1985-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
HARWINTON	1	-	1	-	-	-	-	-	1	1	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLEBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	3	-	1	-	1	1	-	2	-	-	-	1	-
NEW FAIRFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HARTFORD	1	-	-	-	1	-	-	-	1	-	-	-	-
NEW MILFORD	2	-	-	-	1	1	-	1	-	-	-	1	-
NEWTOWN	1	-	-	1	-	-	-	-	1	-	1	-	-
NORFOLK	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	1	-	1	-	-	-	-	1	-	-	-	-	-
PROSPECT	-	-	-	-	-	-	-	-	-	-	-	-	-
REDDING	-	-	-	-	-	-	-	-	-	-	-	-	-
RIDGEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
THOMASTON	1	-	-	-	1	-	-	-	1	-	-	-	-
TORRINGTON	4	-	3	1	-	-	-	1	3	1	-	-	-
WARREN	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY	19	7	14	-	1	1	3	5	11	5	1	1	2
WATERTOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
WINCHESTER	2	-	1	1	-	-	-	1	1	-	-	-	-
WOLCOTT	1	-	1	-	-	-	-	-	1	-	-	-	-
WOODBURY	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1985

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	434	221	80	23	9	9	342	26	14	12	11	7	5	1	4	7	3	2
MALE	238	126	36	11	7	4	184	18	9	8	6	4	3	1	2	3	-	-
FEMALE	196	95	44	12	2	5	158	8	5	4	5	3	2	-	2	4	3	2
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE	5	-	-	-	-	-	-	2	1	-	-	-	-	-	2	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE	6	1	-	-	-	-	1	1	1	-	1	1	1	-	-	-	-	-
FEMALE	6	-	-	1	-	-	1	2	1	-	-	-	1	-	-	1	-	-
480-486 PNEUMONIA																		
MALE	4	1	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE	5	-	-	1	-	-	1	2	-	-	-	-	1	-	-	1	-	-
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	53	21	14	6	1	2	44	3	-	2	1	1	-	-	-	2	-	-
FEMALE	44	15	16	4	1	1	37	1	1	-	1	-	1	-	-	2	1	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	137	99	22	5	4	2	132	3	1	1	-	-	-	-	-	-	-	-
FEMALE	116	79	25	7	1	1	113	3	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	28	27	1	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE	22	21	1	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1985-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	9	6	2	-	-	-	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE	9	5	3	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	23	1	-	-	1	-	2	8	4	5	2	1	1	-	-	-	-	-
FEMALE	13	-	-	-	-	2	2	2	3	-	3	2	-	-	1	-	-	-
E800-E949 ACCIDENTS																		
MALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
MALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER CAUSES																		
MALE	11	4	-	-	-	-	4	1	1	-	1	1	1	1	-	1	-	-
FEMALE	11	1	2	-	-	1	4	-	-	2	1	-	-	-	1	-	1	2

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1985-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	116	70	13	5	1	3	92	10	3	2	6	-	-	-	1	2	-	-
MALE	68	40	9	2	1	1	53	7	1	1	4	-	-	-	1	1	-	-
FEMALE	48	30	4	3	-	2	39	3	2	1	2	-	-	-	-	1	-	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE	3	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
480-486 PNEUMONIA																		
MALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	7	1	2	-	-	1	4	2	-	-	1	-	-	-	-	-	-	-
FEMALE	9	4	2	1	-	-	7	-	1	-	-	-	-	-	-	1	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	48	38	7	2	-	-	47	1	-	-	-	-	-	-	-	-	-	-
FEMALE	29	25	2	2	-	-	29	-	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	12	11	1	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE	8	8	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	3	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1985-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	6	1	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-
FEMALE	5	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE	4	1	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1985

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age-Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age-Specific Female Rate Per 100,000	Per Cent Within Age Group
All Causes (under 1 yr.)*	434	9.9	100.0	238	10.5	100.0	196	9.2	100.0
Certain conditions originating in perinatal period (760-799)	253	5.8	58.3	137	6.1	57.6	116	5.4	59.2
Congenital anomalies (740-759)	97	2.2	22.4	53	2.3	22.3	44	2.1	22.4
Sudden infant death syndrome (798.0)	36	0.8	8.3	23	1.0	9.7	13	0.6	6.6
Influenza and pneumonia (480-487)	9	0.2	2.1	4	0.2	1.7	5	0.2	2.6
Diseases of the heart (390-398, 402, 404-429)	4	0.1	0.9	2	0.1	0.8	2	0.1	1.0
All other causes	35	0.8	8.1	19	0.8	8.0	16	0.7	8.2
All Causes (1-14 years)	129	23.0	100.0	79	27.5	100.0	50	18.2	100.0
Accidents, total (E800-E949)	37	6.6	28.7	24	8.4	30.4	13	4.7	26.0
Motor Vehicle Accidents (E810-E825)	16	2.9	12.4	11	3.8	13.9	5	1.8	10.0
Malignant neoplasms (140-208)	15	2.7	11.6	7	2.4	8.9	8	2.9	16.0
Congenital anomalies (740-759)	10	1.8	7.8	7	2.4	8.9	3	1.1	6.0
Diseases of the heart(390-398, 402, 404-429)	7	1.2	5.4	4	1.4	5.1	3	1.1	6.0
Influenza and pneumonia (480-487)	6	1.1	4.7	4	1.4	5.1	2	0.7	4.0
Homicides and legal intervention (E960-E978)	4	0.7	3.1	4	1.4	5.1	-	-	-
All other causes	50	8.9	38.8	29	10.1	36.7	21	7.7	42.0
All Causes (15-24 years)	420	78.2	100.0	342	125.7	100.0	78	29.4	100.0
Accidents, total (E800-E949)	197	36.7	46.9	168	61.8	49.1	29	10.9	37.2
Motor Vehicle Accidents (E810-E825)	159	29.6	37.9	136	50.0	39.3	23	8.7	29.5
Homicides and legal intervention(E960-E978)	49	9.1	11.7	40	14.7	11.7	9	3.4	11.5
Suicide (E950-E959)	47	8.8	11.2	42	15.4	12.3	5	1.9	6.4
Malignant neoplasms (140-208)	21	3.9	5.0	18	6.6	5.3	3	1.1	3.8
Diseases of the heart (390-398,402,404-429)	8	1.5	1.9	6	2.2	1.8	2	0.8	2.6
Cerebrovascular Diseases (430-438)	7	1.3	1.7	4	1.5	1.2	3	1.1	3.8
All other causes	91	16.9	21.7	64	23.5	18.7	27	10.2	34.6
All Causes (25-44 years)	1,420	146.1	100.0	955	199.7	100.0	465	94.2	100.0
Malignant neoplasms (140-208)	283	29.1	19.9	134	28.0	14.0	149	30.2	32.0
Accidents, total (E800-E949)	266	27.4	18.7	210	43.9	22.0	56	11.3	12.0
Diseases of the heart (390-398,402,404-429)	183	18.8	12.9	140	29.3	14.7	43	8.7	9.2
Suicide (E950-E959)	105	10.8	7.4	90	18.8	9.4	15	3.0	3.2
Homicides and legal intervention(E960-E978)	61	6.3	4.3	44	9.2	4.6	17	3.4	3.7
Cerebrovascular disease (430-438)	54	5.6	3.8	29	6.1	3.0	25	5.1	5.4
Chronic liver disease and cirrhosis (571)	40	4.1	2.8	25	5.2	2.6	15	3.0	3.2
Diabetes mellitus (250)	28	2.9	2.0	14	2.9	1.5	14	2.8	3.0
All other causes	400	41.2	28.2	269	56.3	28.2	131	26.5	28.2

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1985

Causes of Death (ICD 9th Revision)	Total Deaths	Age-Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age-Specific Male Rate Per 100,000	Percent Within Age Group	Female Deaths	Age-Specific Female Rate Per 100,000	Per Cent Within Age Group
All Causes (45-64 years)	5,067	768.8	100.0	3,165	1004.7	100.0	1,902	552.9	100.0
Malignant neoplasms (140-208)	1,898	288.0	37.5	1,024	325.1	32.4	874	254.1	46.0
Diseases of the heart (390-398, 402,404-429)	1,749	265.4	34.5	1,256	398.7	39.7	493	143.3	25.9
Cerebrovascular disease (430-438)	182	27.6	3.6	95	30.2	3.0	87	25.3	4.6
Accidents, total (E800-E959)	147	22.3	2.9	109	34.6	3.4	38	11.0	2.0
Chronic liver disease and cirrhosis (571)	116	17.6	2.3	76	24.1	2.4	40	11.6	2.1
Chronic obstructive pulmonary disease and allied conditions (490-496)	111	16.8	2.2	59	18.7	1.9	52	15.1	2.7
Diabetes Mellitis (250)	82	12.4	1.6	38	12.1	1.2	44	12.8	2.3
Suicides (E950-E959)	71	10.8	1.4	55	17.5	1.7	16	4.7	0.8
Pneumonia and influenza (480-487)	61	9.3	1.2	40	12.7	1.3	21	6.1	1.1
All other causes	650	98.6	12.8	413	131.1	13.0	237	68.9	12.5
All Causes (65 years and over)	20,580	4836.3	100.0	9,412	5570.5	100.0	11,168	4352.8	100.0
Diseases of the heart (390-398, 402, 404-429)	8,772	2061.4	42.6	3,956	2341.1	42.0	4,816	1877.1	43.1
Malignant neoplasms (140-208)	4,563	1072.3	22.2	2,300	1361.3	24.4	2,263	882.0	20.3
Cerebrovascular disease (430-438)	1,600	376.0	7.8	558	330.3	5.9	1,042	406.1	9.3
Chronic obstructive pulmonary disease and allied conditions (490-496)	737	173.2	3.6	419	248.0	4.5	318	123.9	2.8
Diabetes Mellitis (250)	323	75.9	1.6	131	77.5	1.4	192	74.8	1.7
Atherosclerosis (440)	291	68.4	1.4	104	61.6	1.1	187	72.9	1.7
Accidents, total (E800-E949)	272	63.9	1.3	123	72.8	1.3	149	58.1	1.3
All other causes	2,826	664.1	13.7	1,299	768.8	13.8	1,527	595.2	13.7
Pneumonia and influenza (480-487)	932	219.0	4.5	395	233.8	4.2	537	209.3	4.8
Nephritis, nephrotic syndrome and nephrosis (580-589)	264	62.0	1.3	127	75.2	1.3	137	53.4	1.2

*Rates for persons under one year per 1,000 live births.

TABLE 12: NUMBER OF PRESENT MARRIAGE FOR BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1985

Number for Bride	TOTAL	First	Second	Third	Fourth	Fifth	Unknown
TOTAL	27,324	18,997	7,017	1,124	122	16	48
First	19,507	16,228	2,947	281	26	2	23
Second	6,636	2,481	3,460	616	59	7	13
Third	982	218	528	201	26	4	5
Fourth	116	30	53	20	11	2	-
Fifth	17	4	10	2	-	1	-
Sixth	1	-	1	-	-	-	-
Unknown	65	36	18	4	-	-	7

TABLE 13: MARITAL STATUS OF BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1985

Previous Marital Status of Groom

Previous Marital Status of Bride	TOTAL	Single	Widowed	Divorced	Annulled	Unknown
TOTAL	27,324	18,997	741	7,329	99	158
Single	19,507	16,228	100	3,028	68	83
Widowed	757	125	320	306	3	3
Divorced	6,701	2,430	311	3,894	23	43
Annulled	115	75	4	31	5	-
Unknown	244	139	6	70	-	29

TABLE 14: COUNTY OF DISSOLUTION OF MARRIAGES
CONNECTICUT, 1985

COUNTY	TOTAL
CONNECTICUT, TOTAL	11,229
Fairfield	2,540
Hartford	2,375
Litchfield	516
Middlesex	550
New Haven	3,011
New London	1,232
Tolland	593
Windham	412
Sex of Complainant:	
Male	3,748
Female	7,265
Not Stated	216

TABLE 15: CHILDREN UNDER 18
AFFECTED BY MARRIAGE DISSOLUTION
CONNECTICUT, 1985

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	11,229
No children	5,443
One child	2,833
Two children	2,176
Three children	616
Four children	123
Five children	26
Six or more children	4
Not Stated	8

TABLE 16: DURATION OF MARRIAGES DISSOLVED
CONNECTICUT, 1985

Year Marriage Was Contracted	Number Marriages Dissolved	Year Marriage Was Contracted	Number Marriages Dissolved
TOTAL	11,229	1972	346
1985	56	1971	275
1984	431	1970	269
1983	924	1969-1965	1,156
1982	947	1964-1960	806
1981	887	1959-1955	435
1980	788	1954-1950	226
1979	718	1949-1945	102
1978	633	1944-1940	41
1977	534	1939-1935	5
1976	437	1934-1930	3
1975	383	Prior to 1930	5
1974	378	Unknown	53
1973	391		

GLOSSARY

Birth Weight	Weight of fetus or infant at time of delivery.
Fetal Death	Death prior to the complete expulsion or extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or show other signs of life.
Low Birth Weight	Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATES

Age-Adjusted Death Rate: Sum of (Age-Specific Death Rates X Proportion of standard Population in Specific Age Group)

Age-Specific Birth Rate:

$$\frac{\text{No. of Resident Live Births for a Specific Age of Mother}}{\text{Total Female Population of Specific Age}} \times 1{,}000$$

Age-Specific Death Rate:

$$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100{,}000$$

Crude Birth Rate:

$$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population}} \times 1{,}000$$

Crude Death Rate:

$$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population}} \times 1{,}000$$

Divorce Rate:

$$\frac{\text{No. of Persons (Divorces \& Annulments)}}{\text{Total Resident Population}} \times 1{,}000$$

Fetal Death Ratio:

$$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births at Place of Occurrence}} \times 1{,}000$$

Infant Death Rate:

$$\frac{\text{No. of Resident Infant Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$$

Marriage Rate:

$$\frac{\text{No. of Persons Married}}{\text{Total Resident Population}} \times 1{,}000$$